## Approved For Release 2002/10/30 : CIA-RDP67B00820R000400030060-3

DISPATCH NO. WACH/M-1225-60 PAGE 1 of 1 DATE:

25X1A

TO

: Chief of Supply Depot

FROM

: Headquarters

SUBJECT : Residual Inventory List

Completed Contract No. OM-5400

25X1A

1. Enclosed are two copies of lists of residual inventory resulting from completion of work under Contract No. CM-5400 with Fach list is made up of five (5) schedules. Disposition of the investory has been made as follows:

> Transferred to Contract No. RE-518 as GFT. Schedule 1

Schedules 225 Transferred to Contract No. FR-8200 as GFE.

Schedules 364 Incorporated into fabricated parts listed in Schedule 1.

SIGNED		_
Contracting	Officer	•

ENCLOSURES: Inv. SPO 71696 25X1A Ltr. DPD2357-60 (2 December 1960) DPD-DD Di pribution 25X1A 3-CB/DPD-OM-5400-T&P v/DPD-2357 v/incl 4- " " RE-518- " " 5- " " PR-8200 " " 6-RI/DPD

## Residual Inventory SPO 71696 Fabricated Parts

QUANTITY	ITEM NO.	DESCRIPTION	LOCATION
1	TE-8	Scene Spectra Evaluator '	Post.Road
1	TE-9	Oven Furnace (Windows)	Post Road
1	TE-10	V/H Sensor (Prototype)	Post Road
1	TE-11	Analogue Computer	Post Road
1	TE-12	Stabilization Platform	Post Road
1	TE-76	Film Drive Unit	Post Road
1	TE-77	Power Supply (Batteries) 12v	Post Road

Transferred from OM-5400 to RE-518

PR-6250

	The foll	following items listed on pages I thru	41.10	Page 1 of 9
	were purchase fabrica	71696 and are incle eported as Residual	items	
ALLINVOD	PART NUMBER	DESCRIPTION	AUTOE	IISRD ON
2	712½	Redial Thrust Bearing	\$ 3.45 ea	Scene Spectra Evaluator
. 2	1510	Alum. tubing - OD 4" ID 3.875-4 ft lengths	\$ 2.25 ft	Scene Spectra Evaluator
<b>.</b>	2201	Ronchi Ruling 50 lines/mm	\$ 2.00	Scene Spectra Evaluator
<b>}</b>	2135	Ronchi Ruling 100 lines/mm	\$ 2.00	Scene Spectra Evaluator
<b></b>	2137	Ronchi Ruling 120 lines/mm	\$ 2.00	Scene Spectra Evaluator
<b>9-4</b>	2139	Ronchi Ruling 150 lines/mm	\$ 2.00	Scene Spectra Evaluator
μ	30,262	Front Surface Mirror 5 3/4" x 7 1/2"	\$ 4.00	Scene Spectra Evaluatorio
<b></b>	40,067	Front Surface Mirror 8" x 10"	\$ 5.50	Scene Spectra Evaluator
4	60,055	Plane Parallel Glass 6" x 7 11/16"	\$ 1.50 ea	Scene Spectra Evaluator
H	5HLLA12-5	Megopak Thermocouple Type K \$ 12" long with Quik-Konnect Plug	\$ 15.78 ug	Furnace 200
غسو	362738-2	Jack for Chromel Alumel Type	K 3,40	Furnace
	362741	Cable Clamp for Above Jack	\$ .55	Furnace
<b></b>	30556	Seamless Mach. Tubing 16" 0.D. x 1 7/32" Wall 18" Long	. 38.64 ft	Furnace
# 24III	•	1 1/4" x 12" Mill Edge Plate 102#	\$ 17.99 CWT	Furnace
12"		l" x 12" Mill Edge Plate 40₽	\$ 17.92 CWT	Furnace
18"	ŧ	ኔ" x 24" M111 Edge Plate 60#	\$ 17.31 CWT	Furnace .
	RR30395	.187 x 30"/ Hot Rolled 95#	\$ 17,27 CWT	Furnace
10 1bs	RA-1055	Cement	S 1.1.25 15	1

Furnace

Approved For Release	2002/10/30:	CIA-RDP67B00820R000400030060-3
----------------------	-------------	--------------------------------

36	* Ø	4	300	10	ю	<b>,</b>		<b>,</b>	12	2	4	1 sheet	200 '	<b>,</b>	غبيع	<b>~</b>	<b>L</b>	QUATITY
PH 4 M1	6957	50007-2A	g .	2N652	B-10-M				BF-1704	301	6227-85			87260	87220	87210	19485	PART NUMBER
1.0 mfd 400 v DC Capacier	RCA Type 6957 Photoconductive Cell	Cores	Labels Alum.	Motorola Transistors	International Rectifier Photocells	Guardian-Mer-115 Stepping Relay	10-1/4" J.D. Therm Ashestos Pipe Covering x 3" thick x 3' long	4 x 8' x 1½" Thick Maranite Board #23 Type "A"	Acco Covers	Note Beads	Quad Rings	J-M Thermo-Flex Felt RF-600 (3/4" Thick x 42" x 96")	Michrome V - #20 Wire	Spectrum Tubes - Marcury	Spectrum Tubes - Neon	Spectrum Tubes - Argon	Alundum core mixture RA98	DESCRIPTION
\$ .73 ea	\$ 3.34 ea	\$ 10.02 Total	\$ 43.00 Total	\$ 2.64 ea	\$ 7.70 ea	\$ 12.18 ea	\$ 6.50 ft.	\$ .92 sq. ft.	\$ .61 ea	\$ .45 ca ·	\$ 15.40 Total	\$ 54.46 Total	\$ 5.00 Total	\$ 3.15	\$ 3,15	\$ 3.15	\$ 62.15	VALUE
Analogue Computer	Analogue Computer	V/H Sensor	Office Supplies	V/H Sensor	V/H Sensor	Furnace	Furnace	Furnace	Office Supplies	Office Supplies	Furnace		Furnace	Scene Spectra Evaluat	Scene Spectra Evalua	Scene Spectra Evaluator	Furnace	USED ON .
		1		Ар	proved	For Re	lease 200	2/10/30	: CIA	\-RDI	P67B	00820R00	0400	00 <del>3</del> 00	)60 <u>-</u> 3	10:		

QUANTITY	PART NUMBER	DESCRIPTION	VALUE	, ,	USED ON
		Cornell Dubilier Type PM 4 M1			
36		100,000 ohms 1 watt +10% resistors ohmite or Allen Bradley	<b>~</b>	.07 еа	Analogue Computer
36		39,000 r Resistors	ς,	.07 ea	Analogue Computer
3 boxes		Superpanchro press plates 4" x 5" size	S.	2.96 box	General Photo Work
e e		Clairex CL-3 Photocells	ς,	3.95 ea	General Photo Work
200,		Wire #28 B & S Cage CA 58-8 Glass Insulated DO 204903 (Chromel-Alumel Thermocouple pair).	ş <b>o</b> r-	.07 ft.	Furnace
4		16" wide x 8' Thermal Insulation (40 sq. ft.)	٠ «	.095 sq. ft.	Furnace
7	V20	Pacific Semiconductor Varicap	Ś	2.75 ea	V/H Sensor
. 4	V56	Pacific Semiconductor Varicap	¢>	2.75 ea	V/H Sensor
10	3304	Elco Transistor Sockets	w	. 20 ea	V/H Sensor
7	2N334	T-I Transistors	\$ 10	16.20 ea	V/H Sensor
4	9059	T-I Diode	s	4.35 еа	V/H Sensor
m		5" square Wratten # 12 Filter	¢s-	2.80 ea	Darkroom
<b>ش</b> *		5" square Wratten #25A Filter	· «»	2.80 ea	Darkroom

QUANTITY 5 rolls 12 cans 12 pkgs.	PART NUMBER	Panatomic X-Film 210 size D-19 Developer, Kodak 1 gal. size Kodak Acid Fixer, 1 gal. size Ronchi Grating 6" x 6"	VALUE \$ .44 ea \$ .75 can \$ .44 pkg. \$ 9.00	USED ON  Darkroom  Darkroom  V/H Sensor
<b></b>	2166	Ronchi Grating 6" x 6"  GE Universal Motor 1/150 HP 4000 RFM		V/H Sensor Stabilization Platf
6	S1020 B	International Rectifier Silicon Photocells	\$ 4.50 ea	V/H Sensor
6		Quartz Discs Approx. 1" diam of the state of the gold plated to be gold plated for angstroms thick on one side	\$125.00 Total d e	Service
30	L8331	11/16" LG. Feed Thru Connectors	rs 40.50 hundred	Furnace
6	Туре 46 L	Rolls of Polaroid Transparent	\$ 2.49 ea	General Photo Work
2	646	Dippit for processing above	\$ 1.05 ea	General Photo Work
6	2N1137A	Bendix Transistors	\$ .62 ea	V/H Sensor
10	210 6500	Bendix Transistors Mounting	\$ .55 ea	V/H Sensor
<b>, .</b>		Guardian-Mer-115-stepping relay	\$ 12.18	Furnace
12	TR-30	Thordarson Transformer	\$ 3.10 ea	V/H Sensor
22	AR-157	Argonne Transformers	\$ 2.95 ca	V/H Sensor
1 box		Plain Brown Envelopes No clasp 4 3/4" x 11"	\$ 4.62 box	Office Supplies

500 71636

Page 5 of 9

2	2	<b>p</b> i ∞v	μ	4 rolls	<b>,</b>	N	٢	1 box	1	<b>-</b>	<b>j</b> -vel	pri	4	6	1	ALLLAND
H-93	,	A section of the sect	ST-500	1271	931-A	CL-3	LW 13 Ratio 200	•	T-60E	TM-40		5હ્વા032711	7025	2N1010	C2327	PART NUMBER
James Knights 100 K.C.	2.50 Nicad Battery	AC-DC Commutator Motor 1/10 HP 8000 RPM	Robins Splicing Tape	Audio Tape 1200 ft. rolls	Photomultiplier GE	Clairex Photocells	Poston Reductor	$4" \times 5"$ High Resolution plates	Nortronics - bias oscillator	Spero Balance Meter	Tank to be Hcli-arc welded	GE Motor 1/8 HP 148 RPM 115v 60 cycle single phase open frame Rt. angle shaft Fig. 1 mounting position foot mount	Vacuum Tubes	NPN Transistors (RCA)	Stancor-filter choke 1.5 Henries	DESCRIPTION
\$ 6.95 ea	\$ 2.40 ea	\$ 14.00	\$ .40	\$ 4.43 ea	\$ 10.45	\$ 3.50 ea	\$ 62.65	\$ 14.46 box	\$ 4.50	\$ 8.95	\$ 20.00	\$ 108.45	\$ 2.47 ea	\$ 2.81 ea	\$ 1.50	VALUE
		Appr	oved	l <sub>.</sub> For	Rele	ase 2	2002/10	General Use	Scene spectrum analyzem	Scene Spectrum Analyze	Service	20R00040003	Scene Spectrum Analyze	Scene Spectrum Analyzek	V/H Stabilization	USED ON

2 Pcs.	<b>23</b>	3 Pc.	1 Pc.	1 Pc.	1 Pc.	16	N	2	,,	1		24	18	ш	6	6	VILLAND
_	1M10Z10	•				Ĵ.	PES3K	M: 200-W1-CR	14L050	121.050	235L0 <b>5</b> 0	E2-7	AP-3	X542-1005	87320	16	PART NUMBER
12" x 12" x 1" ±1/8" Polished Plate Glass	Motorola Zener Diode	.Glass 1½" x 1½" x ½" thk ]	Glass 12" x 12" x 1" thk	Glass 8" dia x .45 thk	Quartz 8" dia x .878 thk to be coated	X" diam. neoprene 0' Ring Material	Flanged Ball Bearing	Bearing	3/8" Pitch Flange Sprocket ½" Nole	3/8" Pitch Flange Sprocket 3/8 Hole	Belt 3" Wide	Flanged Ball Bearings	Bearing Mounting Plate	Vacuum Tube - Furnace	Concentrated Arc Lamp 2 watt	35 mm reels to fit nikor adjustable tank	DESCRIPTION
\$ 12.15 ea	\$ 4.80 ea		\$ 165.00 lot	4		\$ 25.00 lot	\$ 3.09 ea	\$ 4.74 ea	\$ 7.85	\$ 5.65 ea	\$ 3.54 ea	\$ 3.90 ea	\$ 3.90 ea	\$ 160.00	\$ 9.00 ea	\$ 4.00 ea	VALUE
Window Experiments	4		Service											Furnace			USED ON

		, 6	· •	<b></b>	-	-	pust	-	6	6	4	6 boxes	2 rolls	4 rolls	ALLINVID
	•		1871	16L075	321075	РСВВ15			1203	1201	274-NK		665		PART NUMBER
Kodak Hypo Clearing Agent	Kodak Glacial Acetic Acid	Kodak sheet film & plate developing hangers, 4" x 5"	Belt 3/8 Pitch 50T. 3/4" wide	Pulley 3/8 P. 16T, 1.910 P. Dia. Type 6F ½" dia. hole	Pulley 3/8 P. 32T. 3.820 P. Dia. Type 6f, 3/4" Dia hole	Boston Coupling (one end ½", other 3/4" hole dia)	Field Illumination Lamp	Scanning Lamp	Herman Smith Chassis Phono Jacks	llerman Smith RCA type Phono Plugs	Shielded Double Plugs (Star Plug Dog) General Radio	4" x 5" High resolution plat	Double Face "Scotch" Tape	Plus X Aerocon Film Thin Base 9½" x 100' Rolls 3 MIL Base	DESCRIPTION
\$ 1.25 Ctn.	\$ 2.70 Gal	\$ 1.25 ea	\$ 3.80	\$ 7.00	\$ 13.90	\$ 9.00	\$ 1.45	\$ 38.25	\$ .07 ea	\$ .05 ea	\$ 1.58 ea	es 15.58 box	\$ 1.97 roll	\$ 100.00 lot	VALUE
Darkroom Equipment	Darkroom Equipment	Darkroom Equipment A	Densitometer Drive Assy	Densitometer Drive Assign	Densitometer Drive Asse	Densitometer Drive Asset	Recording Microphotomoger	Recording MicrophotomeGer	RDP67B	800820F	R00040	General Photo Work ' 33'	Miscellaneous Use 6	Experimental Work	USED ON
	Kodak Hypo Clearing Agent \$ 1.25 Ctn.	Gal Kodak Glacial Acetic Acid \$ 2.70 Gal Ctn. Kodak Hypo Clearing Agent \$ 1.25 Ctn.	Kodak sheet film & plate \$ 1.25 ea Darkroom Equipment developing hangers, 4" x 5"  Gal Kodak Glacial Acetic Acid \$ 2.70 Gal Darkroom Equipment Ctn. Kodak Hypo Clearing Agent \$ 1.25 Ctn. Darkroom Equipment	Rodak sheet film & plate \$ 3.80  Kodak sheet film & plate \$ 1.25 ea developing hangers, 4" x 5"  Gal  Kodak Glacial Acetic Acid \$ 2.70 Gal  Kodak Hypo Clearing Agent \$ 1.25 Ctn.	Pulley 3/8 P. 16T, 1.910 P. \$ 7.00 Dia. Type 6F ½" dia. hole  Belt 3/8 Pitch 50T. 3/4" wide \$ 3.80  Kodak sheet film & plate developing hangers, 4" x 5"  Gal  Kodak Glacial Acetic Acid \$ 2.70 Gal  Kodak Hypo Clearing Agent \$ 1.25 ctn.	### Pulley 3/8 P. 32T. 3.820 P. \$ 13.90    Dia. Type 6f, 3/4" Dia hole	### RCBB15  ### Boston Coupling (one end ½", \$ 9.00 other 3/4" hole dia)  ### Bulley 3/8 P. 32T. 3.820 P. \$ 13.90  ### Dia. Type 6F, 3/4" Dia hole  ### 16L075  ### Pulley 3/8 P. 16T, 1.910 P. \$ 7.00  ### Dia. Type 6F ½" dia. hole  ### Belt 3/8 Pitch 50T. 3/4" wide \$ 3.80  ### Kodak Glacial Acetic Acid \$ 1.25 ea  ### Kodak Hypo Clearing Agent \$ 1.25 Ctn.	## Field Illumination Lamp \$ 1.45  ## Poston Coupling (one end ½", \$ 9.00 other 3/4" hole dia)  ## Pulley 3/8 P. 32T. 3.820 P. \$ 13.90  ## Pulley 3/8 P. 16T, 1.910 P. \$ 7.00 other 3/8 Pitch 50T. 3/4" wide \$ 3.80  ## Rodak Sheet film & plate developing hangers, 4" x 5"  ## Rodak Hypo Clearing Agent \$ 1.25 ctn.  ## Constant of the plate of the	Scanning Lamp \$ 38.25  Field Illumination Lamp \$ 1.45  Poston Coupling (one end ½", \$ 9.00 other 3/4" hole dia)  \$ 321075  Pulley 3/8 P. 32T. 3.820 P. \$ 13.90 Dia. Type 6F, 3/4" Dia hole  16L075  Pulley 3/8 P. 16T, 1.910 P. \$ 7.00 Dia. Type 6F ½" dia. hole  187L  Belt 3/8 Pitch 50T. 3/4" wide \$ 3.80  Kodak sheet film & plate developing hangers, 4" x 5"  Kodak Glacial Acetic Acid \$ 2.70 Gal  Kodak Hypo Clearing Agent \$ 1.25 Ctn.	Herman Smith Chassis Phono   \$ .07 ea	1201	### 274-NK    Shielded Double Plugs (Star \$ 1.58 ea	## 5" High resolution plates   15.58 box    274-NK   Shielded Double Plugs (Star   \$ 1.58 ea    1201   Herman Smith RCA type Phono   \$ .05 ea    1203   Herman Smith Chassis Phono   \$ .07 ea    1203   Jacks    Scanning Lamp   \$ 38.25    Field Illumination Lamp   \$ 1.45    Foston Coupling (one end ½", \$ 9.00 other 3/4" bole dia)    321075   Pulley 3/8 P. 32T. 3.820 P.   \$ 13.90    Dia. Type 6F ½" dia. hole    187L   Belt 3/8 Pitch 50T. 3/4" wide   \$ 3.80    Kodak Glacial Acetic Acid   \$ 2.70 Gal    Kodak Hypo Clearing Agent   \$ 1.25 Ctn.	Prolls   665   Double Face "Scotch" Tape   \$ 1.97 roll	Plus X Aerocon Film Thin Base  27011s  665  Double Face "Scotch" Tape  274-NK  274-NK  274-NK  274-NK  274-NK  274-NK  Shielded Double Plugs (Starr \$ 1.58 ea Plug Dog) General Radio  1201  Herman Smith RCA type Phono \$ .05 ea Plugs  Scanning Lamp  Field Illumination Lamp \$ 1.45  Field Illumination Lamp \$ 1.45  Foston Coupling (one end ½", \$ 9.00  other 3/4" hole dia)  321075  Pulley 3/8 P. 32T. 3.820 P. \$ 13.90  Dia. Type 6F, 3/4" bia hole  187L  Belt 3/8 Pitch 50T. 3/4" wide \$ 3.80  Kodak Blactal Acetic Acid \$ 2.70 Gal  Kodak Blypo Clearing Agent \$ 1.25 Ctn.

V/H Sensor	10.65 ea	**	Burgess 12X Nicad Batter	CD28	2
V/H Sensor	1.09 ea	<b>4</b> 5	T.I. Transistors	2N238	o o
V/H Sensor -	1.74 ca	<b>-C&gt;</b>	Raytheon Transistors	2N485	
V/H Sensor	1.65 ea	≪>	Motorola Transistors	2N1193	
V/H Sensor	1,43 ea	€5	Motorola Transistors	2N1191	
Furnace	12.75 ea	plate \$	12" x 12" x 1" polished plate glass		2 Pcs.
Target Illuminature	1.00 ea .	<b>\$</b> \$	435 GE watt ballast for flourescent lamp	89 <b>G</b>	ω
Microdonsitometer Dr	1.70 lb.	-T6 1" \$	Round Alum. Tubing 6061-T6 O.D. x .083 Wall		12 Ft,
Film Exp. Drive Unit	1.705 1b.	1" O.D.\$	6061-T6 RD. Alum. Tube x .065 Wall x .870 I.D.		3 <b>#c</b> .
Film Exp. Drive Unit	1.746 lb.	3/4" \$ 0 I.D.	6061-T6 Rd. Alum. Tube O.D. x .065 Wall x .620		3 FC.
Film Exp. Drive Uni	6.78 ft.	pipe \$ 5.047	Extruded standard alum. pipe .258 wall 5.563 O.D. x 5.047		2 Ft.
Test Purposes	.62½ lb.	<>>	Anionic Tergitol "08"		
Microdensitometer	8.90	-\$\$	Gaertner Decker	L16SE	
	9.50	tive \$	Bracket Densitometer Drive	542-1011	,,
Model Shop	1,43 sq. ft.	٠,	.030 Thk. Clear Lucite		1 Pc.
General Photo Work	. 75	<i>چ</i>	Kodak D-11 Developer (one gal. size)		10
USED ON	VALUE		DESCRIPTION	PARTS NUMBER	ALLIVO

base #3

Page 1 of 4

щ	ш	<b>σ</b>	Ó		L	12	<b></b>	ш	ъ	<b>,</b>	G	<b>.</b>	2	2	ALILIVID
			•		\$9 <b>7</b>		30,293	70,174	19089	87300	88056	88056	12253	12139	PART NULLEX
35 nm Praktina Reflex W/2" Lens 58nm F/.2	SEI Exposure Mater	4" x 5" Plate Holders	6 4" x 5" Cut Film Holders	Polaroid Cut Eack for Above Camera	4" x 5" Speed Graphic Camera, Pacenaker Speed 162 mm. Oplak Lens F/4.5 with Focal Plane Shutter	Transistor Chassis Kit 22X	40 Power Accessory Objective	Low Power Microscope Coated Optics	Lab Jack	Sodium Arc Lamp	Clamy, C-Type #3, 6" Opening	Clarp, C-Type #1, 3" Opening	Clamp, Burette, Large #1	Clamp, condenser, double V-Jaw	DESCRIPTION
\$168.00	\$153.00	\$ 5.90 ea	\$ 4.00 ea	\$ 63.59	\$280.00	\$ 10.50 ea	\$ 4.75 ea	\$ 22.95 ea	\$ 37.50 ea	\$103.00 ea	\$ 3.25 ea	\$ .75 ea	\$ 1.40 ea	\$ 1.95 ea	VALUE
Photographic Work	Photographic Work	Miscellaneous Photograph	- 13	Photographic Equipments	Photographic Equipments e	Electronic Experiment <b>9</b> e	Above	V/H Sensor : Cl	Miscellaneous P. A.	Photographic evaluation 67 69 69 69 69 69 69 69 69 69 69 69 69 69	Miscellaneous 00	Miscellaneous	Miscellaneous 60	Miscellaneous	USED ON

μ		<b>—</b>	<b></b>	<b></b>		سو	N	H	<b></b>	6	<b>,</b>	2	<b>-</b>	1	فسو	, <b>,</b>	ZILINVRD	
2034-8	750 <b>-S</b>	H-18360	11-1.8360	н-18360		542-0021	1756					70,161	TS4A-DLX	. 400	ខ្លួន	•	FART NUMBER	
Kit	Ohaus Triple Beam Balance with matric scale	1000 cc Greduate	100 cc Graduate	5 cc Graduate with 0.1 cc Increments	Stainless Steel Bucket with Carrying Handle	Off Axis Film Guide	Condensing Lens 6" diam , 18" F. L.	Fused Silica Blanks, 8" diam x .9" thick	10 Power Microscopic Eye Piece	35 mm Cassettes (Loitz)	35 mm Daylight Film Loader - Watson	7" Acrial Camera Lens	Robins Tape Splicer	Viking Consolette	Viking Tape Deck	Collapsible Bellow for Praktins Reflex Camera	DESCRIPTION	
\$ 5.00	\$ 15.00	\$ 5.52	\$ 1.24	\$ 1.18 ea	\$ 15.60	\$567.00	\$ 6.70 ea	\$327.50	\$ 24.00	\$ 3.00 ea	\$ 7.00	\$ 39.95 ea	\$ 11.50 ea	\$ 14.00	\$143.00	\$ 47.60	VALUE	
Darkroom	Darkroom	Darkroom	Darkroom	Darkroom Approv	Darkrocm For	Film Revind Stand R	Scene Spectra Analyzer e s	Window program 0/30	Darkroom use IA-	Darkroom use P	Darkroom use 780082	Scene Spectra Evaluat	Viking Tape Recorder 00	For above	V/H Sensor	Accessory	used on	

٣	H	سر	3 سو	4	ALTLUND
L161D	31-11-78-01	31-10-27-01			PART NUMBER
Gaertner Adjustable Slit	Apochromatic Microscope Objective for use without cover glass and with 160mm Tube.	Microscope Objective E.F.L. 3 nm for use with 160 mm Tube and Cover Glass with working distance of 1.6 mm	Kodak Frocess Thermometer	8" x 10" x 1½" Stainless Steel Trays	DESCRIPTION
\$125.00	\$139.00	\$ 35.00	\$ 8.00	\$ 10.00 ca	VALUE
Microdensitometer	Microdensitoneter	Microdensitometer	Darkroom	Darkroom	USED ON

					-							٠	,				• ~
11		ω	<b>)</b>	2	и	4	2	10	10	. 10	2	1 Ga1.	ببر	<i>1</i> 0	1	ALLENGE	11.5
2199				HA-26	25CK86	25AF25		TE-1106	TE-1068	TE-1066	CD-7		31-15-05-013	81-61-01-024	V5D3600	PART NUTBER	The To were pure the fabricaled
27.3mm diam x less thick flat glass	Plano-convex lens 59mm F.L. 22mm diam.	Please-convex dens 81mm F.L. 21 mi diam.	Trial Kit Eastman 910 Adhesive	Sensors (Hygropak)	Switchcraft Cable Assemblies 72" Phono Plug to Alligator Clips	Switchcraft Cable Assemblies 36" Phono plug each end of shielded cable.	502-A Tubes - G.E.	Sprague Cap 300Mfd 6v	Sprague Cap 500Mfd 3v	Sprague Cap 300Mfd 3v	Burgess Nicad Batteries	Refractosil Bottles	Plano-convex lens (centered	Plano-convox Lenses (centered)	3" orifice solenoid oper- ated vacuum value 115v.	DESCRIPTION	The Following items listed on pages 1 were purchased under SPO 71877 and are inclassed parts reported as residual items
₩.	<>>	<>>	₩,	<>>	❖	<>>	\$	-<>>	·s>	৵	\$	40	· \$	÷s	≪>	VALUE	1 thru 3 included mas under
₹\$    -  -	.50 ea	.45 ea	5.00	3.00 ea	.87 ea	.60 ea	1.87 ea	.90 ca	.88 ea	.83 ea	3.50 ea	5.00 lb.	2.50	2.50 ea	10.50	UE.	es 1 thru 3 The included in items under STO 71696
•	•	*		Window Testing	V/H Sensor	V/H Sensor	·	General Stock	General Stock	General Stock	Light Meter	Photography Work	Microdensitomater	Microdensitometer	Furnace	USED ON	Page 1 of 3

Approved For Release 2002/10/30: CIA-RDP67B00820R000400030060-3

5ch #4

	. 04 ca	<b>4</b> 5>	H. H. Smith Phono Pluge	1201	24
•	.03 еа	₹\$	H. H. Smith double phono jack assembly	1214	10
•	3.00 per box,	٠٠	Kodak super speed ortho portrait 4" x 4" 25 sheets per box		· N
	5.50 per box	, <b>.</b>	Polaroid professional pan type no. 53 12 4" x 5" packets per box	· .	ພ
Making Targets	9.00	43-	Ronchi Ruling 85 lines/in.	#2169	<del>ja</del> nd
Film Agitator	8.00 ea	٠٠٠	Hurst Motor	RSM-10	<b></b>
Power Spectrum Analyz	17.54 ea	·s>	Packets #53 Polaroid Film		tu
Scene Spectrum Analyz	.50 ев	€\$	7" x 7" x 1/8" polished plate glass		10
Window Testing	7.35 ea	₩.	Motorola Zener Diodes	11/2025	4
	75.70 Total	-⟨γ>	Namoplates as per print		500
	• 31 ca	<>>	Flourescent lampholder sockets for type T-5 6 watt flourescent lamp	4330	6
	.87 ea	<∞	435 GE Watt Ballast for flourescent lamp	.,.	4
Microdensitometer	2.00 ea	₹\$	Amperite Delay Relay	115NO2	2
Photo Work	1.90	৵	Polaroid ASA 3000 film 3%" x 4%" #47		12
,	4.00	<>>	4 x 4 Ronchi Grating 85 line/inch	2165	, pu
USED ON	COE	VALUE	DESCRIPTION	PART INTOIR	QUESTITY

Approved For Release 2002/10/30 : CIA-RDP67B00820R000400030060-3

ego 2 of 3

هسو	2	22	1 Gal	22	2	12	1 Ro11	1 Pkg.	6 Eox	2 Ga1	3 Ga1	20	24	ALLINGUD
# 100M-4 #	2-N1010	931-A		RA2821-31	RA2761-02	RA2921-32						1214-1	1211	PART WIGHT
Hurst Timing Motor	RCA Transistors	Photomultipliers	Refractosil	Pens-ink	Ink-red-2 oz. in. Mark II Reservoir	Chart paper-ink-2 Channel	Kodak 35mm x 27½' panatomic x film	4" x 5" or larger contact paper (100 sheats/pkg.)	Polaroid film packets 4" x 5" Type 52 or 53 12 per box	Kodak D-76 Developer	Kodak Dektol Developer	H. H. Smith Inculating Washers	H. H. Saith Phono Jack	DESCRIPTION
\$ 8.00 ea	\$ 2.81 ea	\$ 9.35 ea.	\$ 5.00 16.	\$ 9.00 ea	\$ 2.50 ea	\$ 27.00 doz.	\$ 2.65 roll	\$ 6.22 pkg.	\$ 2.30 per box	\$ .90 per gal	\$ .95 per gal	\$ .02 ca	\$ .06 ea	VALUE
•			Scene Spectrum An	Brush Recorder	Brush Recorder	Brush Recorder	General Photo Wor	General Photo Wor	General Photo Wor	General Photo Wor	General Photo Wor			USED ON

	as customer furnished	520 /1877 and have been diverted to STO 71945	The following items were purchased under
--	-----------------------	---	--

اسط		1	ابر ،	ж Н	2	щ	ч	<b>L</b>	щ	<b>,</b>	ъ	,	سو	<b></b>	₽	, pur	Contractory	
19039	PK-233°	1-120	106	ART SE	v.	j		546-0009	6PC-110						. 1503	23-13-125	PART MACHES	SPO 71877
Lab Jack	Lafayette Tape Head Eraser	Lafayette Bulk Tape,	Minerva Stop Watch	5 3/4" diam Rollers	3/4" diam Rollers	Filter Cabinet for 2" Square Glass Filter	Polaroid Back $4^{11} \times 5^{11}$ for sheet film	Rectiliner Motion Stage	Gulton Mickel Cadmium 7.2 volt Battery & Crate 6 colls	26" Bellows	16" Bellows	Record Playback Head for Viking 85 Tape Deck (Installed)	Transformer for above	Pen-Ray Quartz Lamp	Gaertner Telescope	Sola 250 VA Constant Voltage Transformer	DESCRIPTION	and have been diverted as customer furnished
\$ 37.50 ea	\$ 3.95	\$ 18. <del>9</del> 5	\$ 21.00	\$ 25.00	\$ 10.00 ea	\$ 10.00	\$ 49.95	\$1285.00	\$172.80	\$ 12.00	\$ 15.00 Total	\$ 28.50	\$ 24.95	\$ 29.75	\$ 62.50	\$ 49.40	VALUE	co SFO 71945
General Use	V/H Recorder	V/H Recorder	General use	Film Drive Unit	Film Drive Unit	Darkroom Use	General Photography	V/H Sensor	Power Supply for Hicrodensitometer	Scene Spectrum Analy	Scene Spectrum Analyzer o	V/H Sensor Recorder	Same use	Microdensitometer	Microdensitometer	Microdensitomster	NO GESON .	
-/	Tv q u	15-	fe.	Appi	roved C. {	For Re	lease 2	2002 <i>i</i> E	10/30 : .Cl. シャー・シ	ARD YC	P <b>§</b> 7E	800820R00	0040  /?	(S.S.)	060-3 حص	5	ic 4	'# <sub>5</sub>